

# CONDUIT FITTINGS




## PVC

### FEATURES & BENEFITS

- Manufactured according to AS/NZS 2053 Standard
- Stainless steel screws used on all inspection products and junction boxes (tees, elbows and junction boxes)
- Snug fit on conduit tubing
- Heavy duty construction
- Comprehensive range.


### SCREW ADAPTORS

Code	Description	Packing	MOQ	Ctn
ADAP-20G/PS	Screw Adaptor - 20mm - Grey - Plain/Screw	50	50	1000
ADAP-25G/PS	Screw Adaptor - 25mm - Grey - Plain/Screw	50	50	1000
ADAP-32G/PS	Screw Adaptor - 32mm - Grey - Plain/Screw	50	50	500
ADAP-40G/PS	Screw Adaptor - 40mm - Grey - Plain/Screw	20	20	400
ADAP-50G/PS	Screw Adaptor - 50mm - Grey - Plain/Screw	10	10	100




### 90° STANDARD BENDS

Code	Description	x (mm)	Packing	MOQ	Ctn
BEND-20G/STD	90° Standard Bend - 20mm - Grey	66	50	50	500
BEND-25G/STD	90° Standard Bend - 25mm - Grey	87	20	20	200
BEND-32G/STD	90° Standard Bend - 32mm - Grey	165	10	10	200
BEND-40G/STD	90° Standard Bend - 40mm - Grey	170	1	1	65
BEND-50G/STD	90° Standard Bend - 50mm - Grey	223	1	1	30



### 90° SWEEP BENDS

Code	Description	x (mm)	Packing	MOQ	Ctn
BEND-20/SWP	90° Sweep Bend - 20mm - Orange - (HD)	165	1	1	250
BEND-25/SWP	90° Sweep Bend - 25mm - Orange - (HD)	215	1	1	250
BEND-32/SWP	90° Sweep Bend - 32mm - Orange - (HD)	275	1	1	70
BEND-40/SWP	90° Sweep Bend - 40mm - Orange - (HD)	385	1	1	60
BEND-50/SWP	90° Sweep Bend - 50mm - Orange - (HD)	460	1	1	32



### 90° COMMUNICATION BENDS

Code	Description	x (mm)	Packing	MOQ	Ctn
BEND-25/COMM	Communication Bend 90° PVC 25mm White	TBA	1	1	250
BEND-32/COMM	Communication Bend 90° PVC 32mm White	TBA	1	1	70




# CONDUIT FITTINGS



## PVC

### CONDUIT CLIPS

Code	Description	Packing	MOQ	Ctn
CLIP-20G/PVC	Conduit Clip - 20mm - Grey	100	100	2000
CLIP-25G/PVC	Conduit Clip - 25mm - Grey	100	100	2000
CLIP-32G/PVC	Conduit Clip - 32mm - Grey	50	50	1000



### PLAIN COUPLINGS

Code	Description	Packing	MOQ	Ctn
COUP-20G	Plain Coupling - 20mm - Grey	50	50	1000
COUP-25G	Plain Coupling - 25mm - Grey	50	50	1000
COUP-32G	Plain Coupling - 32mm - Grey	20	20	400
COUP-40G	Plain Coupling - 40mm - Grey	1	1	400
COUP-50G	Plain Coupling - 50mm - Grey	1	1	200
COUP-63G	Plain Coupling - 63mm - Grey	1	1	66



### PLAIN/SCREW COUPLINGS

Code	Description	Packing	MOQ	Ctn
COUP-20G/PS	Plain/Screw Coupling - 20mm - Grey	50	50	1000
COUP-25G/PS	Plain/Screw Coupling - 25mm - Grey	50	50	1000
COUP-32G/PS	Plain/Screw Coupling - 32mm - Grey	50	50	1000
COUP-40G/PS	Plain/Screw Coupling - 40mm - Grey	5	5	300
COUP-50G/PS	Plain/Screw Coupling - 50mm - Grey	5	5	200




### SOLID ELBOWS

Code	Description	Packing	MOQ	Ctn
ELB-20G	Solid Elbow - 20mm - Grey	20	20	400
ELB-25G	Solid Elbow - 25mm - Grey	20	20	400




### RIGHT ANGLE ELBOWS

Code	Description	Packing	MOQ	Ctn
ELB-20G/RA	Right Angle Elbow - 20mm - Grey	20	20	800
ELB-25G/RA	Right Angle Elbow - 25mm - Grey	20	20	400



### INSPECTION ELBOWS

Code	Description	Packing	MOQ	Ctn
ELB-20G/IN	Inspection Elbow - 20mm - Grey	20	20	400
ELB-25G/IN	Inspection Elbow - 25mm - Grey	20	20	400
ELB-32G/IN	Inspection Elbow - 32mm - Grey	10	10	200




# CONDUIT FITTINGS



## PVC


### LOCATING FLANGES

Code	Description	Packing	MOQ	Ctn
FLAN-20/LOC	Locating Flange - 20mm - Orange	10	10	200
FLAN-25/LOC	Locating Flange - 25mm - Orange	10	10	200
FLAN-32/LOC	Locating Flange - 32mm - Orange	10	10	200



### PLASTIC SADDLES

Code	Description	Packing	MOQ	Ctn
FS-20G/PVC	Plastic Saddle - 20mm - Full - Grey	100	100	2000
FS-25G/PVC	Plastic Saddle - 25mm - Full - Grey	100	100	2000
FS-32G/PVC	Plastic Saddle - 32mm - Full - Grey	50	50	1000



### CORRUGATED GLANDS

Code	Description	Packing	MOQ	Ctn
GLA-20G/COR	Corrugated Glands - 20mm - Grey	50	50	1000
GLA-25G/COR	Corrugated Glands - 25mm - Grey	50	50	500
GLA-32G/COR	Corrugated Glands - 32mm - Grey	20	20	400



### DISPOSABLE LIDS

Code	Description	Packing	MOQ	Ctn
LID-25/DISP	Disposable Lid - Orange	20	20	400



### END PLUG - PLAIN

Code	Description	Packing	MOQ	Ctn
PLUG-20G/PVC	Conduit End Plug Plain 20mm Grey	100	100	1000
PLUG-25G/PVC	Conduit End Plug Plain 25mm Grey	100	100	1000



### PLAIN REDUCERS

Code	Description	Packing	MOQ	Ctn
RED-20/16G/PL	Plain Reducer - 20/16mm - Grey	50	50	1000
RED-25/20G/PL	Plain Reducer - 25/20mm - Grey	50	50	1000
RED-32/25G/PL	Plain Reducer - 32/25mm - Grey	50	50	1000
RED-40/32G/PL	Plain Reducer - 40/32mm - Grey	20	20	400
RED-50/40G/PL	Plain Reducer - 50/40mm - Grey	20	20	400



# CONDUIT FITTINGS



## PVC


### STEPPED REDUCERS

Code	Description	Packing	MOQ	Ctn
RED-25/20G/ST	Stepped Reducer 25/20mm Grey	50	50	1000
RED-32/25G/ST	Stepped Reducer 32/25mm Grey	50	50	1000




### THREADED REDUCERS

Code	Description	Packing	MOQ	Ctn
RED-25/20G/TH	Threaded Reducer - 25/20mm - Grey	50	50	1000
RED-32/25G/TH	Threaded Reducer - 32/25mm - Grey	50	50	1000
RED-40/32G/TH	Threaded Reducer - 40/32mm - Grey	20	20	400
RED-50/40G/TH	Threaded Reducer - 50/40mm - Grey	20	20	400



### EXTENSION RINGS

Code	Description	Packing	MOQ	Ctn
RING-25G/EX	Extension Ring - 25mm - Grey	20	20	200



### 1-WAY SHALLOW JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBS-20G/1	1 Way Shallow J-Box - 20mm - Grey	10	10	100
JBS-25G/1	1 Way Shallow J-Box - 25mm - Grey	10	10	100



### 2-WAY STRAIGHT SHALLOW JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBS-20G/2	2 Way Straight Shallow J-Box - 20mm - Grey	10	10	100
JBS-25G/2	2 Way Straight Shallow J-Box - 25mm - Grey	10	10	100



### 2-WAY ANGLE SHALLOW JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBS-20G/2A	2 Way Angle Shallow J-Box - 20mm - Grey	10	10	100
JBS-25G/2A	2 Way Angle Shallow J-Box - 25mm - Grey	10	10	100



# CONDUIT FITTINGS



## PVC


### 2-WAY 'U' TYPE SHALLOW JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBS-20G/2U	2 Way U Type Shallow J-Box - 20mm - Grey	10	10	100
JBS-25G/2U	2 Way U Type Shallow J-Box - 25mm - Grey	10	10	100



### 3-WAY SHALLOW JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBS-20G/3	3 Way Shallow J-Box - 20mm - Grey	10	10	100
JBS-25G/3	3 Way Shallow J-Box - 25mm - Grey	10	10	100



### 3-WAY 'Y' TYPE SHALLOW JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBS-20G/3Y	3 Way Y Type Shallow J-Box - 20mm - Grey	10	10	100
JBS-25G/3Y	3 Way Y Type Shallow J-Box - 25mm - Grey	10	10	100




### 4-WAY SHALLOW JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBS-20G/4	4 Way Shallow J-Box - 20mm - Grey	10	10	100
JBS-25G/4	4 Way Shallow J-Box - 25mm - Grey	10	10	100



### 4-WAY 'H' TYPE SHALLOW JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBS-20G/4H	4 Way H Type Shallow J-Box - 20mm - Grey	10	10	100
JBS-25G/4H	4 Way H Type Shallow J-Box - 25mm - Grey	10	10	100



### 1-WAY DEEP JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBD-20G/1	1 Way Deep J-Box - 20mm - Grey	10	10	100
JBD-25G/1	1 Way Deep J-Box - 25mm - Grey	10	10	100



# CONDUIT FITTINGS



## PVC


### 2-WAY DEEP JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBD-20G/2	2 Way Deep J-Box - 20mm - Grey	10	10	100
JBD-25G/2	2 Way Deep J-Box - 25mm - Grey	10	10	100



### 2-WAY ANGLE DEEP JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBD-20G/2A	2 Way Angle Deep J-Box - 20mm - Grey	10	10	100
JBD-25G/2A	2 Way Angle Deep J-Box - 25mm - Grey	10	10	100




### 2-WAY 'U' TYPE DEEP JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBD-20G/2U	2 Way U Type Deep J-Box - 20mm - Grey	10	10	100
JBD-25G/2U	2 Way U Type Deep J-Box - 25mm - Grey	10	10	100



### 3-WAY DEEP JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBD-20G/3	3 Way Deep J-Box - 20mm - Grey	10	10	100
JBD-25G/3	3 Way Deep J-Box - 25mm - Grey	10	10	100




### 3-WAY 'Y' TYPE DEEP JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBD-20G/3Y	3 Way U Type Deep J-Box - 20mm - Grey	10	10	100
JBD-25G/3Y	3 Way U Type Deep J-Box - 25mm - Grey	10	10	100



### 4-WAY DEEP JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBD-20G/4	4 Way Deep J-Box - 20mm - Grey	10	10	100
JBD-25G/4	4 Way Deep J-Box - 25mm - Grey	10	10	100




# CONDUIT FITTINGS



## STAINLESS STEEL


### 4-WAY 'H' TYPE DEEP JUNCTION BOXES

Code	Description	Packing	MOQ	Ctn
JBD-20G/4H	4 Way H Type Deep J-Box - 20mm - Grey	10	10	100
JBD-25G/4H	4 Way H Type Deep J-Box - 25mm - Grey	10	10	100




### STRAIGHT TEES

Code	Description	Packing	MOQ	Ctn
TEE-20G	Straight Tee - 20mm - Grey	20	20	400
TEE-25G	Straight Tee - 25mm - Grey	20	20	400




### INSPECTION TEES

Code	Description	Packing	MOQ	Ctn
TEE-20G/IN	Inspection Tee - 20mm - Grey	20	20	400
TEE-25G/IN	Inspection Tee - 25mm - Grey	10	10	200
TEE-32G/IN	Inspection Tee - 32mm - Grey	5	5	50



### DRAIN TEE - SOLAR APPLICATIONS

Code	Description	Packing	MOQ	Ctn
TEE-25G/DR	Drain Tee - 25mm - Grey	20	20	400



### SPECIFICATIONS

#### Weatherproof rating:


- IP65

#### Drain valve material:


- Aluminium

#### Flow rate:

- Approx 14.5ml/min



Example of a device to drain liquid from a conduit system (side entry/exit)



Example of a device to drain liquid from a conduit system (bottom entry/exit)